





BUILT FOR HARSH SITUATIONS INCLUDING EXTREME COLD ENVIRONMENTS EASY TO TRANSPORT DUE TO FOLDABALITY

WEIGHT: 44,000 kg		LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
	TRANSPORT	14,900	3,150	3,630
	OPERATION	15,080	5,970	4,360





JAWTRACK MOBILE JAW CRUSHER **BPJ 106**





AGGREGATES



Foldable Parts for easy transportation and compactness





Quick set-up time Ease of use Easy maintenance



Diesel-electric drive Full hybrid Environment-friendly





Track-mounted High mobility On-site flexibility

Copyright © 2022 Boratas Machinery.

JAWTRACK MOBILE JAW CRUSHER

The Boratas® Mobile Jaw Crusher BPJ106 from Jawtrack series is the perfect combination of compactness, mobility, and high performance featuring an imposing jaw crusher from the performant BCK jaw crusher series. Typically used in mining, quarrying, and recycling, These mobile jaw crushers are ideal for work in urban regions with a limited surface.

Using a single toggle jaw, Jawtrack BPJ106 mobile jaw crusher is able to crush all types of natural stones from the hardest granites to more abrasive varieties. Moreover, they are also used for recycling by reducing materials such as asphalt, concrete, and other construction materials.

Furthermore, Jawtrack BPJ106 comes in different sizes and features and is supplied as standard or customized versions.


Features & Benefits

- High Capacity Jaw Crusher
- Operates with Electricity or Diesel
- Hydraulically Foldable Belts
- Wireless Remote Control
- PLC control system
- Drum motors for conveyors
- Vibrating Feeder with Grizzly Screen
- Lightning Arm

Control panel

Optional Features

- Metal separator magnet
- Hardox Armoured Bunker
- Automatic lubrication system for conveyors
- Dust-reduction system
- Main conveyor cover



Grizzly Screen Hopper

- Capacity: 3.6 m³
- · Foldable side and rear plates for more compactness
- Size: 1000 mm x 1600 mm

Bypass Conveyor

· Width: 600 mm

Foldable for more

Drum motor

compactness

- Vibromotor
- 600mm max feed size

Jaw Crusher

- Capacity: 100-250 tph
- · Feed opening: 1000 x 600mm
- Hydraulically adjustable CSS
- Min-Max CSS: 50 mm - 200 mm

Power Unit

- Dual Power
- Diesel
- Electric

Vibrating Feeder

- Size: 900 mm x 2350 mm
- Vibromotor
- · 600mm max feed size
- Feeding Speed Control

Tracks

- Width: 500 mm
- Twin Speed Mode
- Heavy Duty Type

Magnetic Separator

Reverse Control

PLC Control

• Full control via PLC panel including touch screen


Wireless Control

· Easy and safe control over all individual parts as well as crawling-tracks

Hybrid Power

- · Fully hybrid
- Can perform with diesel or simply plugged to electricity

Main Conveyor • Width: 1000 mm







Hybrid Drive

Remote Control

Easy Plug-In Socket for switching from diesel to electric drive.

Based on PLC system, LCD touch screen shows

all details which are running at the moment.

Walking control, speed of the feeding and functionality of components can be controlled.